

V	Vhole Spectrum Quality				
		Location	Abbre	eviation/ location o	ode
Keenstraat 46 3044 CD Rotterdam The Netherlands			RO		
No.	Material or product	Type of activity	Internal reference number	Additional method information	Loca- tion
		Organic analy	ses		
1.	Vegetable and animal oils and fats	Determination of the content of the total amount and individual sterols; GC-FID Cholesterol, Brassicasterol, Campesterol, Stigmasterol, β Sitosterol, Δ 5-Avenasterol, Δ 7-Stigmasterol, Δ 7-Avenasterol.	QTI-C-002 NEN-EN-ISO 12228-1	equivalent to NEN- EN-ISO 12228-1	RO
2.	Vegetable and animal oils, fats and fatty acids	Determination of the content of mineral oil (fraction C10-C56): GC-FID	QTI-C-006 NEN-ISO 17780	in accordance with NEN-ISO 17780	RO
3.	Vegetable and animal oils, fats and fatty acids	Determination of fatty-acid composition; GC-FID C6:0, C8:0, C10:0, C12:0, C14:0, C15:0,	QTI-C-005 (preparation) NEN-EN ISO 12966-2	(sample preparation) in accordance with NFN-FN-ISO 12966-	RO

and fatty acids NEN-EN ISO 12966-2 NEN-EN-ISO 12966-C16:0, C16:1 omega 7, C16:2 omega 7, C16:3 omega 3, C16:4 omega 3, C17:0, C18:0, C18:1 omega 9, C18:2 omega 6, (analysis) C18:3 omega 3, C18:4 omega 3, C20:0, NEN-EN ISO 12966-4 (analysis) C20:1 omega 9, C20:2 omega 6, C20:4 in accordance with omega 6, C20:4 omega 3, C20:5 omega 3, C22:0, C22:1 omega 9, C22:4 omega 6, NEN-EN-ISO 12966-C22:5 omega 3, C22:6 omega 3, C24:0, C24:1 omega 9 Determination of the content of QTI-C-008 in accordance with RO Polycyclic Aromatic Hydrocarbons **NEN-EN-ISO 22959 NEN-EN-ISO 22959** (PAH's); DACC-HPLC-fluorescence and UV benz[a]anthracene, chrysene, benzo[a]pyrene, benzo[b]fluoranthene en de som van deze 4 PAK's, phenanthrene, anthracene, fluoranthene, pyrene, benzo[k]fluoranthene, dibenzo[a,h]anthracene, benzo[g,h,i]perylene, indeno[1,2,3c,d]pyrene, benzo[c]fluorene, 5methylchrysene, benzo[j]fluoranthene, dibenzo[a,e]pyrene, dibenzo[a,i]pyrene, dibenzo[a,h]pyrene

Dutch Accreditation Council RvA Page 1 of 7



1 / / /	. 1 - 0			104
vvnc	DIE S	pectru	ım ul	Iality

No.	Material or product	Type of activity	1	Internal reference number	Additional method information	Loca- tion
5.	Food and feed	Polycyclic Aromatic Hydrocarbons (PAH's); DACCHPLC-fluorescence and UV benz[a]anthracene, chrysene, benzo[a]pyrene, benzo[b]fluoranthene and the sum of these 4 PAH's		QTI-C-008 in-house method (preparation: in-house method; performance analysis: NEN-EN-ISO 22959)	in-house method preparation: in-house method; performance analysis:	RO
					in accordance with NEN-EN-ISO 22959	
6.	Vegetable and animal oils, fats,	Determination of t		QTI-C-007	feed and their raw materials:	RO
	fatty acids	WHO dioxin-like F		feed and their raw	pre-treatment:	
	Food and feed and their raw materials	following non diox	in-like PCBs; GC-	materials:	equivalent to NEN-EN 16215	
				pre-treatment NEN-EN 16215	WEN EN 10210	
		Dioxinen:	Dioxin-like PCB's:		analysis:	
		2,3,7,8-TCDD	PCB 81	analysis	in accordance with	
		1,2,3,7,8-PeCDD	PCB 77	Regulation (EU) nr.	Regulation (EU) nr.	
		1,2,3,4,7,8-HxCDD	PCB 126	2017/771	2017/771	
		1,2,3,6,7,8-HxCDD	PCB 169	food on dithoir vo		
		1,2,3,7,8,9-HxCDD	PCB 123	food and their raw		
		1,2,3,4,6,7,8-HpCDD OCDD	PCB 118 PCB 114	materials	food and their raw	
		OCDD	PCB 114 PCB 105	pre-treatment	materials:	
		Dibenzofurans:	PCB 167	in-house method	pre-treatment:	
		2,3,7,8-TCDF	PCB 156		in-house method	
		1,2,3,7,8-PeCDF	PCB 157	analysis		
		2,3,4,7,8-PeCDF	PCB 189	Regulation (EU)	analysis:	
		1,2,3,4,7,8-HxCDF		2017/644	in accordance with	
		1,2,3,6,7,8-HxCDF	Non-dioxin-like PCB's		Regulation (EU) nr.	
		2,3,4,6,7,8-HxCDF	PCB 28		2017/644	
		1,2,3,7,8,9-HxCDF	PCB 52			
		1,2,3,4,6,7,8-HpCDF	PCB 101			
		1,2,3,4,7,8,9-HpCDF	PCB 138			
		OCDF	PCB 153			
			PCB 180			



No.	Material or product	Type of activity	Internal reference number	Additional method information	Loca- tion
7.	Vegetable and animal oils, fats, fatty acids	Determination of the content of Volatile Organic Contaminants; Headspace GC-MS Methanol, Ethanol, Acetone, 2-Propanol, Pentane, 1,1-Dichloroethene, 2,2-Dimethylbutane, Dichloromethane, 1-Propanol, 2,3-Dimethylbutane, 2-Methylpentane, Methyl tert-butyl ether, 1,1-Dichloroethane, 3-Methylpentane, Methylethylketone, n-Hexane, Ethyl Acetate, Methyl Acrylate, Chloroform, Methylcyclopentane, 1,1,1-Trichloroethane, 1,2-Dichloroethane, 3,3-Dimethylpentane, Benzene, Carbontetrachloride, Cyclohexane, n-Butanol, 2-Methylhexane, Pentanal, Ethyl Acrylate, Trichloroethene, n-Heptane, Methylcyclohexane, Toluene, 1-Pentanol, 1,1,2-Trichloroethane, Hexanal, Octane, Tetrachloroethene, Butylacetate, Chlorobenzene, Ethylbenzene, sum m-Xylene & p-Xylene, Butyl Acrylate, Styrene, o-Xylene, Heptanal, Decane, Butylbenzene	QTI-C-001 NEN-EN-ISO 15303	equivalent to NEN-EN-ISO 15303	RO
8.	Food and feed and their raw materials	Determination of the content of Mycotoxins; LC-MS/MS Aflatoxin (B1, B2, G1, G2, total), Ochratoxin A, Aflatoxin M1, Deoxynivalenol, Diacetoxyscirpenol, Fumonisin (B1, B2, B3), Fusarenon X, HT2 toxin, T2 toxin, Zearalenol, α-Zearalenol	QTI-003 in-house method	in-house method	RO
9.	Spices and oleoresins	Determination of the content of illegal dyes; LC-MS/MS 4-Nitroaniline, Auramine O, Basic Red 46, Bixin, Chrysoidine, Fast Garnet GBC, Methanil Yellow, Norbixin, Orange 2, Orange III, Orange SS, Para Red, Rhodamine B, Sudan I, Sudan II, Sudan III, Sudan IV, Sudan Black B, Sudan Orange G, Sudan Red B, Sudan Red 7B, Sudan Red G, Sudan Yellow, Sudan Blue 2, Toluidine Red	QTI-004 in-house method	in-house method	RO
10.	Food and Feed	Determination of the content of pesticides and additives; LC-MS/MS	QTI-009 NEN-EN 15662	equivalent to NEN-EN 15662	RO
		See website QTI Services for the current list			



No.	Material or product	Type of activity	Internal reference number	Additional method information	Loca- tion
11.	Food and Feed	Determination of the content of pesticides and additives; GC-MS/MS	QTI-009 NEN-EN 15662	equivalent to NEN-EN 15662	RO
		See website QTI Services for the current list			
12.	Vegetable and animal oils and fats and fatty acids	Determination of the content of pesticides and additives; LC-MS/MS	QTI-009 NEN-EN 15662	equivalent to NEN-EN 15662	RO
		See website QTI Services for the current list			
13.		Determination of the content of pesticides and additives; GC-MS/MS	QTI-009 NEN-EN 15662	equivalent to NEN-EN 15662	RO
		See website QTI Services for the current list			
14.	Vegetable and animal oils and fats and fatty acids	Determination of the content of MOSH and MOAH; saponification, and online HPLC-GC-FID Total MOSH (C10-C50), total MOAH (C10-C50)	QTI-C-011 in-house methode (saponification: in- house method; sample pre-treatment and analysis: NEN-EN 16995**)	in-house methode (saponification: in- house method; sample pre- treatment and analysis: equalivent to NEN-EN 16995**)	RO
15.	Food and feed and packaging materials	Determination of the content of MOSH and MOAH; saponification and extraction and online HPLC-GC-FID	QTI-C-011 in-house method	in-house method	RO
		Total MOSH (C10-C50), total MOAH (C10-C50)			
16.	Oil containing seeds, herbs and spices	Determination of the content of ethylene oxide, 2-chloro ethanol and the sum of ethylene oxide and 2-chloro ethanol expressed as ethylene oxide; HS-GC-MS	QTI-C-012 in-house method	in-house method	RO
17.	Vegetable and animal oils and fats and fatty acids	Determination of the content of free and fatty acid-bound 2-MCPD, 3- MCPD and glycidol; GC-MS/MS	QTI-C-013 vegetable and animal oils and fats NEN-EN-ISO 18363-4 fatty acids in-house method	vegetable and animal oils and fats: in accordance with NEN-EN-ISO 18363- 4	RO
				fatty acids: in-house method	



No.	Material or product	Type of activity	Internal reference number	Additional method information	Loca- tion
18.	Food, feed and animal and vegetable oils	Determination of the content of dithiocarbamates (as CS ₂); Headspace GC-MS	QTI-C-017 in-house method	in-house method	RO
19.	Food and feed (with the exception of herbs and spices)	Determination of the content of quats; LC-MSMS Paraquat, Diquat, Mepiquat, Chlormequat	QTI-C-014 in-house method	in-house method	RO
20.		Determination of the content of polar pesticides; LC-MSMS Ethephon, Glyphosate, Glufosinate, AMPA, MPPA, N-Acetyl-Glufosinate, Phosphonic acid, Fosetyl, Perchlorate, Chlorate	QTI-C-015 in-house method	in-house method	RO
21.	Herbs and spices	Determination of the content of polar pesticides; LC-MSMS Glyphosate, Chlorate	QTI-C-015 in-house method	in-house method	RO
		Inorganic anal	yses		
22.	Vegetable and animal oils and fats	Determination of the content of moisture and volatile matter; gravimetric	QTI-A-001 NEN-EN-ISO 662	in accordance with NEN-EN-ISO 662	RO
23.	Vegetable and animal oils and fats and fatty acids	Determination of the content of moisture (Karl Fisher); titrimetric	QTI-A-002 NEN-EN-ISO 8534	in accordance with NEN-EN-ISO 8534	RO
24.	Vegetable and animal oils and fats and fatty acids	Determination of the content of free fatty acid (FFA) and acid value (AV); titrimetric	QTI-A-003 NEN-EN-ISO 660	in accordance with NEN-EN-ISO 660	RO
25.	Vegetable and animal oils and fats	Determination of the content of nitrogen; elemental combustion analyser	QTI-A-006 in-house method	in-house method	RO
26.	Vegetable and animal oils and fats	Determination of the content of sulfur; elemental combustion analyser	QTI-A-007 in-house method	in-house method	RO



No.	Material or product	Type of activity	Internal reference number	Additional method information	Loca- tion
27.	Food and Feed	Determination of the content of elements; ICP-MS	QTI-A-010 in-house method	in-house method	RO
		Arsenic, Cadmium, Copper, Mercury, Lead and Nickel	digestion: in-house	digestion: in-house	
			method analysis: in- house method	method analysis: in- house method	
		Microbiological a	ınalyses		
28.	Food, feed and environmental samples	Enumeration of total aerobic mesophyllic plate count; colony count technique, PCA, 30°C	QTI-M-001 NEN-EN-ISO 4833-1	in accordance with NEN-EN-ISO 4833-1	RO
29.	Food, feed and environmental samples	Enumeration of Enterobacteriaceae; colony count technique, VRBGA, 37°C	QTI-M-002 NEN-EN-ISO 21528-2	in accordance with NEN-EN-ISO 21528- 2	RO
30.	Food and feed	Enumeration of Coliforms; colony count technique, VRBLA, 37°C	QTI-M-003 NEN-EN-ISO 4832	in accordance with NEN-EN-ISO 4832	RO
31.	Food and feed	Enumeration of β-glucuronidase- positive Escherichia coli; colony count technique, TBX, 44°C	QTI-M-004 NEN-EN-ISO 16649-2	in accordance with NEN-EN-ISO 16649- 2	RO
32.	Food and feed	Enumeration of yeasts and/or moulds; colony count technique, Symphony, 25°C	QTI-M-005 NEN-EN-ISO 21527- 1+2; (BKR 23-11 - 12/18)	equivalent to NEN-EN-ISO 21527- 1+2; (BKR 23-11 - 12/18)	RO
33.	Food and feed	Enumeration of <i>Bacillus cereus</i> , colony count technique, 30°C	QTI-M-006 NEN-EN-ISO 7932, (BKR 23-06-10)	equivalent to NEN-EN-ISO 7932, (BKR 23-06-10)	RO
34.	Food, feed and environmental samples	Enumeration of coagulase-positive staphylococci (<i>Staphylococcus aureus</i> and other species), colony count technique, 37°C	QTI-M-007 NEN-EN-ISO-6888-2, (BKR 23-10-12-15)	equivalent to NEN-EN-ISO-6888- 2, (BKR 23-10-12- 15)	RO
35.	Food and feed	Enumeration of sulphite reducing bacteria; colony count technique, ISA; 37°C	QTI-M-008 NEN-EN-ISO 15213	in accordance with NEN-EN-ISO 15213	RO
36.	Food and feed	Enumeration of <i>Clostridium</i> perfringens; colony count technique, TSC; 37°C	QTI-M-009 NEN-EN-ISO 7937	in accordance with NEN-EN-ISO 7937	RO
37.	Food, feed and environmental samples	Detection of Salmonella spp.; qualitative analysis, PCR, 37°C	QTI-D-004 NEN-EN-ISO 6579-1, PCR, (Microval 2014LR43)	equivalent to NEN-EN-ISO 6579- 1, PCR, (Microval 2014LR43)	RO



samples

Scope EN including additional information

(NMKL 054)

(NMKL 054)

No. Type of activity Additional **Material or** Internal Locaproduct reference method tion number information 38. Food, feed and Detection of Listeria QTI-D-005 equivalent to RO NEN-EN-ISO 11290-1, environmental monocytogenes; qualitative NEN-EN-ISO 11290-(NMKL 054) analysis half-fraser, PCR, 30°C samples 1, (NMKL 054) QTI-D-005 39. Food, feed and Detection of Listeria spp.; RO in-house method qualitative analysis half-fraser, environmental in-house method

PCR, 30°C

^{*} The activity uses guidelines for performance characteristics as established in SANTE/11312/2021.
** The activity uses guidelines for performance characteristics as established in JRC/115694/2017.